VOL. 706, NOS. 1 + 2 JOURNAL OF CHROMATOGRAPHY A 7 JULY 1995

CONTENTS

(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Awareness in Biological Sciences (CABS), Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal, Research Alert and Science Citation Index)

INTERNATIONAL ION CHROMATOGRAPHY SYMPOSIUM 1994, TURIN, 19–22 SEPTEMBER 1994

Foreword
by C. Sarzanini (Turin, Italy) 1

GENERAL PRINCIPLES

Studies on system performance and sensitivity in ion chromatography
by P.E. Jackson (Lane Cove, Australia) and J.P. Romano and B.J. Wildman (Milford, MA, USA) 3

Precision of ion chromatographic analyses compared with that of other analytical techniques through intercomparison exercises
by A. Marchetto, R. Mosello and G.A. Tartari (Verbania Pallanza, Italy) and H. Muntau, M. Bianchi, H. Geiss, G. Serrini and G.S. Lanza (Ispra, Italy) 13

Precision and linearity of inorganic analyses by ion chromatography
by G.A. Tartari, A. Marchetto and R. Mosello (Verbania Pallanza, Italy) 21

"Chromatogram generator" chromatogram modelling software
by A.V. Pirogov, O.N. Obrezkov and O.A. Shpigun (Moscow, Russian Federation) 31

Retention mechanism of anions in micellar chromatography: interpretation of retention data on the basis of an ion-exchange model
by T. Okada and H. Shimizu (Shizuoka, Japan) 37

Preliminary tests to select operating conditions for the accurate determination of stability constants by cation-exchange chromatography: the Cd^{2+}–Cl^- and Cd^{2+}–NO_3^- systems
by P. Papoff, A. Ceccarini and P. Carnevali (Pisa, Italy) 43

TECHNICAL ASPECTS

Colour-indication suppressor for anion chromatography (Short communication)
by H. Watanabe and H. Sato (Yokohama, Japan) 55

Selectivity of chemically bonded zwitterion-exchange stationary phases in ion chromatography
by P.N. Nesterenko, A.I. Elefterov, D.A. Tarasenko and O.A. Shpigun (Moscow, Russian Federation) 59

Macrocycle-based column for the separation of inorganic cations by ion chromatography
by B.R. Edwards, A.P. Giauque and J.D. Lamb (Provo, UT, USA) 69

Stationary phase for the determination of fluoride and other inorganic anions
by J. Weiss and S. Reinhard (Idstein, Germany) and C. Pohl, C. Saini and L. Narayaran (Sunnyvale, CA, USA) . . 81

Modified silica as a stationary phase for ion chromatography
by O.V. Krokhin, A.D. Smolenkov, N.V. Svintsova, O.N. Obrezkov and O.A. Shpigun (Moscow, Russian Federation) 93

Cation analysis on a new poly(butadiene–maleic acid)-based column (Short communication)
by M.W. Läubli and B. Kampus (Herisau, Switzerland) 99

Selectivity enhancement on a poly(butadiene–maleic acid)-coated cation phase induced by ethylene oxide-based complexing agents
by M.W. Läubli and B. Kampus (Herisau, Switzerland) 103

Cation-exchange chromatography in non-aqueous solvents
by P.J. Dumont, J.S. Fritz and L.W. Schmidt (Ames, IA, USA) 109

Evaluation of 1,2-diaminocyclohexanetetraacetic acid as eluent in the determination of inorganic anions and cations by ion chromatography
by E.A. Gautier, R.T. Gettar, R.E. Servant and D.A. Batistoni (Buenos Aires, Argentina) 115

On-line thermal lens spectrometric detection of Cr(III) and Cr(VI) after separation by ion chromatography
by M. Šikovec, M. Novič, V. Hudnik and M. Franko (Ljubljana, Slovenia) 121

Simultaneous determination of chromium(III) and chromium(VI) by ion chromatography with inductively coupled plasma mass spectrometry
by Y. Inoue, T. Sakai and H. Kumagai (Tokyo, Japan) 127

Clean-up procedure for the determination of inorganic anions by ion chromatography
by O. Zerbinati (Turin, Italy) 137

APPLICATIONS

Inorganic species

Studies on the retention behaviour of metal–EDTA complexes in cation chromatography
by C. Sarzanini, G. Sacchero and E. Mentasti (Torino, Italy) and P. Hajós (Veszprém, Hungary) 141

Ion chromatographic separation of alkali metals in organic solvents
by P.J. Dumont and J.S. Fritz (Ames, IA, USA) 149

Separation of Pd(II) and Cu(II) in chloride solutions on a glycol methacrylate gel derivatized with 8-hydroxyquinoline
by E. Anticó, A. Masana, V. Salvadó and M. Hidalgo (Girona, Spain) and M. Valiente (Bellaterra, Spain) 159

Determination of Cd, Co, Cu, Fe, Mn, Ni and Zn in coral skeletons by chelation ion chromatography
by W. Shotyk and I. Immenhauser-Potthast (Berne, Switzerland) 167

Determination of thorium and uranium in nitrophosphate fertilizer solution by ion chromatography
by A.W. Al-Shawi and R. Dahl (Porsgrunn, Norway) 175

Determination of anions in human and animal tear fluid and blood serum by ion chromatography
by R. Salas-Auvert, J. Colmenarez, H. de Ledo M, M. Colina, E. Gutierrez, A. Bravo, L. Soto and S. Azuero (Maracaibo, Venezuela) 183

Determinations of trace anions in hydrogen peroxide
by J. Kerth and D. Jensen (Idstein, Germany) 191

Determination of phosphorus by sample combustion followed by non-suppressed ion chromatography
by J.C. Umali and G.M. Moran (Sydney, Australia) and P.R. Haddad (Hobart, Australia) 199

Determination of nitrate, phosphate and organically bound phosphorus in coral skeletons by ion chromatography
by W. Shotyk, I. Immenhauser-Potthast and H.A. Vogel (Berne, Switzerland) 209

Detection of iodide in geologic materials by high-performance liquid chromatography
by J.E. Moran, R.T.D. Teng, U. Rao and U. Fehn (Rochester, NY, USA) 215

Determination of nitrite levels in refrigerated and frozen spinach by ion chromatography
by N.B. Bosch, M.G. Mata, M.J. Peñuela, T.R. Galán and B.L. Ruiz (Madrid, Spain) 221

Environmental

Control of errors in anion chromatography applied to environmental research
by A.P. Rowland, C. Woods and V.H. Kennedy (Grange-over-Sands, UK) 229

Ion chromatographic determination of major ions in fog samples
by M. Achilli and L. Romele (Segrate (MI), Italy) and W. Martinotti and G. Sommariva (Milan, Italy) 241

Cation trace analysis of snow and firn samples from high-alpine sites by ion chromatography
by A. Döscher and M. Schwikowski (Villigen PSI, Switzerland) and H.W. Gäggeler (Villigen PSI and Bern, Switzerland) 249

Oxidative decomposition of organic water pollutants with UV-activated hydrogen peroxide. Determination of anionic products by ion chromatography
by C. Scheuer, B. Wimmer, H. Bischof and L. Nguyen (Garching, Germany), J. Maguhn, P. Spitzauer and A. Kettrup (Freising, Germany) and D. Wabner (Garching, Germany) 253

Simultaneous determination of small organic and inorganic anions in environmental water samples by ion-exchange chromatography
by A.A. Ammann and T.B. Rüttimann (Dübendorf, Switzerland) 259

Matrix-elimination ion chromatography with post-column reaction detection for the determination of iodide in saline waters
by A.C.M. Brandão (Hobart, Australia), W.W. Buchberger (Linz, Austria) and E.C.V. Butler, P.A. Fagan and P.R. Haddad (Hobart, Australia) 271

Ion chromatographic determination of nutrients in sea water
by S. Carrozzino and F. Righini (Leghorn, Italy) 277

Ion chromatography of organic-rich natural waters from peatlands. III. Improvements for measuring anions and cations
by P. Steinmann and W. Shotyk (Bern, Switzerland) 281

Ion chromatography of organic-rich natural waters from peatlands. IV. Dissolved free sulfide and acid-volatile sulfur
by P. Steinmann and W. Shotyk (Bern, Switzerland) 287

Ion chromatography of organic-rich natural waters from peatlands. V. Fe^{2+} and Fe^{3+}
by P. Steinmann and W. Shotyk (Bern, Switzerland) 293

Determination of anions in oilfield waters by ion chromatography
by R. Kadnar and J. Rieder (Vienna, Austria) 301

Determination of aluminium in natural waters by single-column ion chromatography with indirect UV detection
by M.L. Litvina, I.N. Voloschik and B.A. Rudenko (Moscow, Russian Federation) 307

Ion chromatographic determination of beryllium in rock and waste waters with a chelating sorbent and conductimetric detection
by I.N. Voloschik, M.L. Litvina and B.A. Rudenko (Moscow, Russian Federation) 315

Determination of chloride in the leachates of stabilised waste by ion chromatography and by a volumetric method. Analysis and comparison
by L. Musmeci, E. Beccaloni and M. Chirico (Rome, Italy) 321

Micellaneous

Separation of anionic surfactants on anion exchangers
by N. Pan and D.J. Pietrzyk (Iowa City, IA, USA) 327

Determination of anions in amine solutions for sour gas treatment
by R. Kadnar and J. Rieder (Vienna, Austria) 339

Elucidation of the degradation mechanism of 2-chloroethanol by hydrogen peroxide under ultraviolet irradiation
by G. Pace, A. Berton, L. Calligaro and A. Mantovani (Padua, Italy) and P. Uguagliati (Venice, Italy) 345

Contribution of high-performance liquid chromatographic analysis of carbohydrates to authenticity testing of honey
by I. Goodall, M.J. Dennis, I. Parker and M. Sharman (Norwich, UK) 353

Determination of monomeric sugar and carboxylic acids by ion-exclusion chromatography
by K. Fischer (Freising-Weihenstephan, Germany), H.-P. Bipp and D. Bieniek (Oberschleißheim, Germany) and A. Kettrup (Freising-Weihenstephan, Germany) 361

Determination of some organic acids in sugar factory products
by S. Lodi and G. Rossin (Ferrara, Italy) 375

Ion-exclusion chromatography with conductimetric detection of aliphatic carboxylic acids on an H^+-form cation-exchange resin column by elution with polyols and sugars
by K. Tanaka and K. Ohta (Nagoya, Japan), J.S. Fritz (Ames, IA, USA) and Y.-S. Lee and S.-B. Shim (Cheong Ju, South Korea) 385

Use of ion chromatography for the measurement of organic acids in fruit juices
by G. Saccani, S. Gherardi, A. Trifirò, C.S. Bordini, M. Calza and C. Freddi (Parma, Italy) 395

Efficiency of chemical oligonucleotide synthesis evaluated by ion-exchange high-performance liquid chromatography
by Z. Földes-Papp (Ulm, Germany), E. Birch-Hirschfeld (Jena, Germany), R. Rösch (Ulm, Germany), M. Hartmann (Jena, Germany) and A.K. Kleinschmidt and H. Seliger (Ulm, Germany) 405

Determination of amino acids in biomass and protein samples by microwave hydrolysis and ion-exchange chromatography
by L. Joergensen and H.N. Thestrup (Odense M, Denmark) 421

Direct determination of seleno-amino acids in biological tissues by anion-exchange separation and electrochemical detection
by S. Cavalli (Pieve Emanuele MI, Italy) and N. Cardellicchio (Taranto TA, Italy) 429

Nitric oxide in biological fluids: analysis of nitrite and nitrate by high-performance ion chromatography
by S.A. Everett, M.F. Dennis, G.M. Tozer, V.E. Prise, P. Wardman and M.R.L. Stratford (Northwood, UK) 437

Ion chromatography as potential reference methodology for the determination of total sodium and potassium in human serum
by L.M. Thienpont and J.E. Van Nuwenborg (Ghent, Belgium) and D. Stöckl (Düsseldorf, Germany) 443

Plasma level determination of 1,4-butanedisulphonate by ion chromatography and conductimetric detection
by E. Moro, M. De Angelis and B. Fugazza (Liscate (MI), Italy) 451

Analysis of the acidic microenvironment in murine tumours by high-performance ion chromatography
by M.R.L. Stratford, C.S. Parkins, S.A. Everett and M.F. Dennis (Northwood, UK), M. Stubbs (London, UK) and S.A. Hill (Northwood, UK) 459

ELECTROPHORESIS

CAG triplet analysis in families with androgen insensitivity syndrome by capillary electrophoresis in polymer networks
by C. Gelfi, P.G. Righetti, F. Leoncini, V. Brunelli, P. Carrera and M. Ferrari (Milan, Italy) 463

Comparison of capillary zone electrophoresis with ion chromatography and standard photometric methods for the determination of inorganic anions in atmospheric aerosols
by E. Dabek-Zlotorzynska, J.F. Dlouhy, N. Houle, M. Piechowski and S. Ritchie (Ottawa, Canada) 469

Determination of nitrate and nitrite in vegetables by capillary electrophoresis with indirect detection
by M. Jimidar, C. Hartmann, N. Cousement and D.L. Massart (Brussels, Belgium) 479

Separation of some metallochromic ligands by capillary zone electrophoresis and micellar electrokinetic capillary chromatography
by M. Macka, P.R. Haddad and W. Buchberger (Hobart, Australia) 493

Interpretation of migration behaviour of inorganic cations in capillary ion electrophoresis based on an equilibrium model
by Q. Yang, Y. Zhuang, J. Smeyers-Verbeke and D.L. Massart (Brussels, Belgium) 503

Separation of metal cations by electrophoresis in a positively charged coated capillary
by K. Cheng, Z. Zhao, R. Garrick, F.R. Nordmeyer, M.L. Lee and J.D. Lamb (Provo, UT, USA) 517

Application of capillary electrophoresis in atmospheric aerosol analysis: determination of cations
by E. Dabek-Zlotorzynska and J.F. Dlouhy (Ottawa, Canada) 527

Effect of the concentration of 18-crown-6 added to the electrolyte upon the separation of ammonium, alkali and alkaline-earth cations by capillary electrophoresis
by C. Francois, Ph. Morin and M. Dreux (Orleans, France) 535

Capillary electrophoretic analysis of the reactions of bifunctional reactive dyes under various conditions including a study of the analysis of the traditionally difficult to analyse phthalocyanine dyes
by K.N. Tapley (Leeds, UK) 555

Membrane-based solid-phase extraction as a sample clean-up technique for anion analysis by capillary electrophoresis
by R. Saari-Nordhaus and J.M. Anderson, Jr. (Deerfield, IL, USA) 563

Separation of inorganic and organic anionic components of Bayer liquor by capillary zone electrophoresis. I. Optimisation of resolution with electrolyte-containing surfactant mixtures
by P.R. Haddad, A.H. Harakuwe and W. Buchberger (Hobart, Australia) 571

AUTHOR INDEX 579

NEWS SECTION 583